



安徽合大环境检测有限公司

正本

181203101077

报告编号: HDJC-1219452-001
报告名称: 合肥市蜀山区蜀山街道蜀山社区
报告日期: 2023-04-04
报告地点: 合肥市蜀山区蜀山街道蜀山社区
报告人: 安徽合大环境检测有限公司
报告审核: 安徽合大环境检测有限公司
报告批准: 安徽合大环境检测有限公司
报告日期: 2023-04-04
报告地点: 合肥市蜀山区蜀山街道蜀山社区
报告人: 安徽合大环境检测有限公司
报告审核: 安徽合大环境检测有限公司
报告批准: 安徽合大环境检测有限公司

一、 水质检测

采样日期： 2019 年 9 月 17 日

采样人员： 岳志、周子涵

表 1-1 检测点位

样品编号	检测点位	检测指标
121945201SZ01	外排污水	pH、化学需氧量、石油类、氨氮、悬浮物、磷酸盐

表 1-2 检测方法

检测指标	方法依据	检出限或最低检测浓度	单位
pH	水质 pH 值的测定 玻璃电极法 GB/T 6920-1986	--	无量纲
化学需氧量	水质 化学需氧量的测定 快速消解分光光度法	15	mg/L

悬浮物	mg/L	17
磷酸盐	mg/L	0.39

注：如结果低于检出方法检出限，填最低检出限并加“L”。

The image shows a highly detailed and complex technical drawing or blueprint, oriented horizontally. The document is filled with numerous lines, text, and diagrams, which are largely illegible due to the low resolution and high contrast of the scan. The layout is dense, with various elements scattered across the page, including what appears to be a large central area with many small, repeating patterns or components. The overall appearance is that of a technical drawing from a scientific or engineering field, possibly related to materials science or chemistry, given the context of the surrounding text. The document is oriented horizontally and appears to be a scan of a physical page.

Journal of Interpersonal Violence

动压	Pa	76	23	10	39
静压	Kpa	-0.01	0.00	-0.02	-0.01
非甲烷总烃 排放浓度	mg/m³	2.48	3.01	4.25	3.67
非甲烷总烃 排放速率	kg/h	0.00207	0.00236	0.00223	0.00667
氮氧化物排 放浓度	mg/m³	69	43	40	72
氮氧化物排 放速率	kg/h	0.576	0.0337	0.0210	0.131

表 2-4 检测结果

检测点位		柴油机一厂	产品开发部实验科
样品编号		121945201QT02	121945201QT05
检测指标	单位		
烟气温度	℃	25	74
烟气流速	m/s	1.1	4.8
烟气流量	m³/h (标态)	20746	1608
动压	Pa	59	36
静压	Kpa	-0.01	-0.02
非甲烷总烃排 放浓度	mg/m³	4.36	5.01
非甲烷总烃排 放速率	kg/h		

三、噪声检测

检测日期: 2019年9月23日

检测人员: 丁涛、卫智炳

表 3-1 检测点位

检测点位	检测点布置	主要声源	噪声类型
▲1	厂界东	/	厂界噪声
▲2	厂界西	/	
▲3	厂界南	/	
▲4	厂界北	/	

表 3-2 检测方法

检测指标		方法依据	单位
噪声	等效 A 声级	工业企业厂界环境噪声排放标准 GB 12348-2008	dB(A)

表 3-3 检测结果

检测点位		9月23日	
		(单位: dB(A))	
		昼间	夜间
	▲1	56	48
	▲2	56	47
	▲3	55	47
	▲4	55	48

四、检测气象条件

检测日期	天气状况	风向	风速	气温	气压
2019年9月23日	晴	南风	3.2 m/s	26 °C	101.8 kPa



五、主要检测设备

仪器编号	仪器名称	仪器型号	测量范围	准确度	检定/校准	检定/校准证书编号
1	全站仪	徕卡TS16	0~360°	±2″	2023.05.15	2023051501
2	水准仪	徕卡NA2	0~100m	±3mm	2023.05.15	2023051502
3	经纬仪	徕卡T2	0~360°	±2″	2023.05.15	2023051503
4	测距仪	徕卡Disto D5	0~500m	±2mm	2023.05.15	2023051504
5	水准尺	徕卡FS30	0~3m	±1mm	2023.05.15	2023051505
6	棱镜	徕卡棱镜	0~100m	±1mm	2023.05.15	2023051506
7	全站仪	徕卡TS16	0~360°	±2″	2023.05.15	2023051507
8	水准仪	徕卡NA2	0~100m	±3mm	2023.05.15	2023051508
9	经纬仪	徕卡T2	0~360°	±2″	2023.05.15	2023051509
10	测距仪	徕卡Disto D5	0~500m	±2mm	2023.05.15	2023051510
11	水准尺	徕卡FS30	0~3m	±1mm	2023.05.15	2023051511
12	棱镜	徕卡棱镜	0~100m	±1mm	2023.05.15	2023051512
13	全站仪	徕卡TS16	0~360°	±2″	2023.05.15	2023051513
14	水准仪	徕卡NA2	0~100m	±3mm	2023.05.15	2023051514
15	经纬仪	徕卡T2	0~360°	±2″	2023.05.15	2023051515
16	测距仪	徕卡Disto D5	0~500m	±2mm	2023.05.15	2023051516
17	水准尺	徕卡FS30	0~3m	±1mm	2023.05.15	2023051517
18	棱镜	徕卡棱镜	0~100m	±1mm	2023.05.15	2023051518
19	全站仪	徕卡TS16	0~360°	±2″	2023.05.15	2023051519
20	水准仪	徕卡NA2	0~100m	±3mm	2023.05.15	2023051520
21	经纬仪	徕卡T2	0~360°	±2″	2023.05.15	2023051521
22	测距仪	徕卡Disto D5	0~500m	±2mm	2023.05.15	2023051522
23	水准尺	徕卡FS30	0~3m	±1mm	2023.05.15	2023051523
24	棱镜	徕卡棱镜	0~100m	±1mm	2023.05.15	2023051524
25	全站仪	徕卡TS16	0~360°	±2″	2023.05.15	2023051525
26	水准仪	徕卡NA2	0~100m	±3mm	2023.05.15	2023051526
27	经纬仪	徕卡T2	0~360°	±2″	2023.05.15	2023051527
28	测距仪	徕卡Disto D5	0~500m	±2mm	2023.05.15	2023051528
29	水准尺	徕卡FS30	0~3m	±1mm	2023.05.15	2023051529
30	棱镜	徕卡棱镜	0~100m	±1mm	2023.05.15	2023051530

热烈欢迎各界人士莅临指导 热烈欢迎各界人士莅临指导

感受我们的真诚与热情

合肥分公司
合肥分公司

合肥德国应用科学大学

伟青伟城店

锦绣大道

锦绣大道

合肥伟青伟城店

CS

扫描全能王 创建